



8-12

100

30 42%.



-3 5-8 °C () 8-²
10 °C ().

12—14 °

20-35

4 8-12 5 6 100



Art. Nr.	Type	Volt				
13208	FJ 10	230 V		10	1 - 4	550 W
13208H	FJ 10	-		10	1 - 4	-
13270	FJ 32	230 V		32	4 - 12	370 W
13270H	FJ 32	-		32	4 - 12	-
13272	FJ 55	230 V		55	10 - 25	750 W
13278	FJ 100 C	230 V		100	15 - 50	1100 W






FJ 10



Milky FJ 10

115 V 230 V 1 - 4

- 4
-
-
- (.1)
-
-
-



Art. Nr. 13208 FJ 10 | 230 V 1

Art. Nr. 16025 FJ10 1

FJ 10



Milky FJ 10

1 - 4

-
- (.1)
-
-
-



Art. Nr. 13208H FJ 10 1





FJ 32



Milky FJ 32

230 V 4 - 12

- 2
-
-
- (.1)
-
-
-
-
- -35



Art. Nr. 13270 FJ 32 | 230 V 1

FJ 32



Milky FJ 32

4 - 12

-
-
- (.1)
-
-
-



Art. Nr. 13270H FJ 32 Handbetrieb 1





FJ 55

NEU!



FJ 55

230 V 10 - 25

10 25 20-35 50-

750 , 230



Abb. 1




Abb. 2





Abb. 3



(. 3)

(. 2)

20-35

Art. Nr. 13272-TM FJ 55 | 230 V



1





FJ 100 C



! Foto: Buttermaschine 13278-TM

FJ 100 C

230 V 15 - 50

- -
 -
 -
 -
 -
 -
 -
 -
 -
- (. 1)

20-35

- Einsatz in der Direktvermarktung
- (. : 13278-T)



Abb. 1

Art. Nr. 13278	FJ 100 C 230 V	1
Art. Nr. 13278-TM	FJ 100 C 230 V	1
Art. Nr. 13278-T	Trolley für FJ 100 C	1